Material Safety Data Sheet

Section I - Product Identification

Product Name: Targel Plus

Manufacturer's Name: Maintenance, Inc. Address: PO Box 408, Wooster, Ohio 44691

<u>Phone Number:</u> 330-264-6262 (Maintenance, Inc.) Chemical Emergency Phone Number: 1-800-424-9300

Formula: TGP

Effective Date: 02-03-10 Date Superseded: 04-11-06

Section II - Ingredients

Modified Acrylonitrile Polymer

CAS# Proprietary OSHA PEL: N/A ACGIH TLV: N/A

N/A = Not available or applicable

Ingredients total wt. % are below 100% only if all others unlisted are not considered hazardous by any federal (OSHA, WHMIS, SARA), any state or province, or local Right-To-Know regulations.

Section III - Physical Data

Boiling Point (degrees F/C): 212°F (100°C)

Vapor Pressure (mm Hg.): 17.5 mmHg at 20°C

Vapor Density (Air = 1): <1

Solubility in Water: Easily dispersible.

Appearance and Odor: Light orange liquid with mild odor.

Physical State: Liquid

Freeze Point (degrees F/C): 32°F/0°C

Specific Gravity: .98 - 1.04

Section IV - Fire & Explosion Hazard Data

Flash Point (method used): N/A

Flammable Limits: LEL: N/A UEL: N/A

Combustion Products: Fumes, smoke, CO, CO₂ and other toxic pyrolysis products.

Extinguishing Media: Foam, dry chemical, CO₂, water fog.

<u>Special Fire Fighting Procedures:</u> Wear self-contained breathing equipment. Cool exposed containers to prevent buildup of steam pressure.

Unusual Fire and Explosion Hazards: Containers may rupture due to steam pressure.

Impact Sensitive: No Static Sensitive: No Explosion Power: N/A Burning Rate: N/A

Section V - Health Hazard Data

Routes of Entry: Eyes, ingestion, inhalation.

Effect of Overexposure:

Eyes: May cause eye irritation from vapor or liquid.

<u>Inhalation:</u> Excess inhalation of vapor or spray mist may cause headache, irritation of nose and throat, dizziness, weakness and nausea. Prolonged or repeated exposure to high vapor concentrations may cause damage to kidneys, liver, lungs, blood or CNS.

<u>Skin:</u> May cause irritation of skin. Prolonged and repeated exposure may cause allergic skin reactions in some people.

<u>Ingestion:</u> May cause nausea, cramps, vomiting, diarrhea or other effects. Repeated ingestion may cause liver damage.

Any Suspected Carcinogen: >or= 0.1%: No

Emergency and First Aid Procedures:

<u>Eyes:</u> Immediately flush with plenty of water for 15 minutes and call a physician. Inhalation: If affected, remove to fresh air. Administer oxygen if needed and CALL

physician immediately.

<u>Skin:</u> Wash thoroughly with plenty of water and soap. Remove contaminated clothing. <u>Ingestion:</u> Seek physician immediately, show MSDS or label, DO NOT induce vomiting. Give victim a glass of water or milk. Never give anything by mouth to an unconscious person.

Section VI - Reactivity Data

Stability: Stable

Conditions to Avoid: Keep from freezing and extreme heat.

Incompatibility (materials to avoid): Acids or multivalent metal salts, may cause coagulation.

<u>Hazardous Decomposition Products:</u> Combustion may yield fumes, smoke, CO, CO₂ and other toxic pyrolysis products.

Hazardous Polymerization: Will not occur.

Section VII - Spill or Leak Procedures

SARA Title III:

#302: No #304 CERCLA: No #313: No

Steps to be Taken In Case Material is Released or Spilled: Contain the spill. If ventilation is inadequate, wear approved respiratory protection. Wear suitable protective clothing, gloves, and eye/face protection. Clean up with absorbent material. Put in a sealed approved container. Dispose of in accordance with federal, state and local regulations.

Section VIII - Safe Handling & Protection Information

Respiratory Protection: If ventilation is inadequate, wear approved respiratory equipment.

Ventilation:

Local Exhaust: Recommended.

Mechanical (general): N/A

Special: N/A

Other: N/A

Protective Gloves: Wear impervious gloves.

Eyes Protection: Wear safety goggles or face shield.

Other Protective Equipment: Wear suitable protective clothing.

Section IX - Special Precautions

Keep out of reach of children.

For professional and industrial use only.

Always read label plus precautions and follow directions carefully.

Do not apply during or when rain is expected within one hour to avoid contamination of runoff water.

Keep from freezing.

Keep containers air tight for storage.

Do not take internally.

Avoid contact with eyes and skin.

Wash thoroughly after using.

Additional Technical Data Sheets and/or MSDSs are available upon request.

THE INFORMATION AND RECOMMENDATION PROVIDED HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. HOWEVER, SUCH INFORMATION AND RECOMMENDATIONS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND AND MAINTENANCE INC. DISCLAIMS ANY AND ALL LIABILITY OR LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON SAME.